

Opisthobranches marins européens

Ordre des céphalaspides (bullomorphes)

Famille des Acteonidae

Acteon monterosatoi Dautzenberg, 1889
Acteon tornatilis (Linné, 1758)
Tomlinula turrata (Watson, 1886)
Inopinodon azoricus (Locard, 1897)
Crenilabium exile (Jeffreys, 1870)
Liocarenus globulinus (Forbes, 1844)
Japonacteon pusillus (MacGillivray, 1843)
Callostracon amabile (Watson, 1886)
Callostracon tyrrhenicum Smriglio & Mariottini, 1996

Famille des Hydatinidae

Hydatina vesicaria (Lightfoot, 1786)
Micromelo undatus (Bruguière, 1792)

Famille des Diaphanidae

Diaphana abyssalis (Schjøtte, 1999)
Diaphana cretica (Forbes, 1844)
Diaphana flava (Watson, 1897)
Diaphana glacialis (Odner, 1907)
Diaphana globosa (Jeffreys, 1864)
Diaphana hiemalis (Couthouy, 1839)
Diaphana lactea (Jeffreys, 1877)
Diaphana makarovi (Gorbunov, 1946)
Diaphana marshalli (Sykes, 1905)
Diaphana minuta Brown, 1827
Diaphana quadrata (Monterosato, 1874)
Colobocephalus costellatus Sars M., 1870
Colobocephalus striatulus (Monterosato, 1874)
Colpodaspis pusilla Sars M., 1870
Rhinodiaphana ventricosa (Jeffreys, 1865)
Toledonia limnaeoides (Odner, 1913)
Bogasonia volutoides Warén, 1989

Famille des Retusidae

Retusa candidula (Locard, 1892)
Retusa fourierii (Audouin, 1826)
Retusa leptoneilema (Brusina, 1866)
Retusa mammillata (Philippi, 1836)
Retusa mariei (Dautzenberg, 1889)
Retusa minutissima (Monterosato, 1878)
Retusa obtusa (Montagu, 1803)
Retusa pellucida (Sars G.O., 1878)
Retusa piriformis Monterosato, 1878
Retusa tornata (Watson, 1886)
Retusa truncatula (Bruguière, 1792)
Relichna simplex (Locard, 1897)
Cylichnina canariensis Nordsieck & Talavera, 1979

Cylichnina crebrisculpta Monterosato, 1884
Cylichnina girardi (Audouin, 1826)
Cylichnina laevisculpta (Granata-Grillo, 1877)
Cylichnina nitidula (Lovén, 1846)
Cylichnina robagliana (Fischer P. in de Folin, 1869)
Cylichnina tenerifensis Nordsieck & Talavera, 1979
Cylichnina umbilicata (Montagu, 1803)
Pyrunculus hoernesii (Weinkauff, 1866)
Pyrunculus ovatus (Jeffreys, 1870)
Pyrunculus spretus (Watson, 1897)
Volvulella acuminata (Bruguière, 1792)

Famille des Ringiculidae

Ringicula auriculata (Ménard de la Groye, 1811)
Ringicula pulchella Morlet, 1880
Ringicula leptocheila Brugnone, 1873

Famille des Runcinidae

Runcina adriatica Thompson T., 1980
Runcina africana Pruvot-Fol, 1953
Runcina aurata Garcia-Gomez, Lopez, Luque & Cervera, 1986
Runcina bahiensis Cervera, Garcia-Gomez & Garcia, 1991
Runcina brenkoae Thompson T., 1980
Runcina capreensis Mazzarelli, 1894
Runcina coronata (de Quatrefages, 1844)
Runcina ferruginea Kress, 1977
Runcina macrodenticulata Garcia-Gomez & Lopez de la Cua-dra, 1990
Runcina zavodniki Thompson T., 1980

Famille des Bullidae

Bulla amygdala Dillwyn, 1817
Bulla striata Bruguière, 1792

Famille des Haminoeidae

Haminoea cymoelia Monterosato, 1917
Haminoea elegans Leach, 1852
Haminoea exigua Schaefer, 1992
Haminoea fusari Alvarez, Garcia & Villani, 1983
Haminoea hydatis (Linné, 1758)
Haminoea navicula (da Costa, 1778)
Haminoea orbignyana (de Férussac, 1822)
Haminoea ortei Talavera, Murillo & Templado, 1987
Haminoea templadoi Garcia, Perez-Hurtado & Garcia-Gomez, 1991
Atys blainvilliana (Récluz, 1843)
Atys jeffreysi (Weinkauff, 1866)
Atys macandrewi Smith E.A., 1872

Cylichnium africanum (Locard, 1897)
Cylichnium oliviforme (Watson, 1883)
Smaragdinella algirae (Adams A. in Sowerby G.B. II, 1850)
Weinkauffia turgidula (Forbes, 1844)

Famille des Philinidae

Philine angulata Jeffreys, 1867
Philine aperta (Linné, 1767)
Philine azorica Bouchet, 1975
Philine calva van der Linden, 1995
Philine catena (Montagu, 1803)
Philine complanata Watson, 1897
Philine condensa (van der Linden, 1995)
Philine denticulata (Adams J., 1800)
Philine desmotis Watson, 1897
Philine infortunata Pilsbry, 1895
Philine intricata Monterosato, 1875
Philine lima (Brown, 1827)
Philine monilifera Bouchet, 1975
Philine monterosati Monterosato, 1874
Philine monterosatoi (Sykes, 1905)
Philine punctata (Adams J., 1800)
Philine quadrata (Wood S., 1839)
Philine rugulosa (Dautzenberg & Fischer H., 1896)
Philine scabra (Müller, 1784)
Philine trachyostraca Watson, 1897
Johania retifera (Forbes, 1844)
Laona finmarchica (Sars M., 1858)
Laona flexuosa (Sars M., 1870)
Laona pruinosa (Clark W., 1827)

Famille des Aglajidae

Aglaja berrieri (Dieuzeide, 1935)
Aglaja maderensis (Watson, 1897)
Aglaja taila Marcus Ev. & Er., 1966
Aglaja tricolorata Renier, 1807
Chelidonura fulvipunctata Baba, 1938
Chelidonura italica Sordi, 1980
Chelidonura orchidaea Perrone, 1990
Melanochlamys seurati (Vayssière, 1926)
Philinopsis depicta (Renier, 1807)

Famille des Cylichnidae

Cylichna alba (Brown, 1827)
Cylichna crossei Bucquoy, Dautzenberg & Dollfus, 1886
Cylichna cylindracea (Pennant, 1777)
Cylichna lemchei Bouchet & Warén, 1979
Cylichna occulta (Mighels & Adams, 1842)
Cylichna parvula Jeffreys, 1883
Cylichna propeacylindracea (de Gregorio, 1890)
Acteocina mucronata (Philippi, 1849)
Roxania monterosatoi Dautzenberg & Fischer H., 1896
Roxania pinguicula (Seguenza G., 1879)
Roxania utriculus (Brocchi, 1814)

Scaphander gracilis Watson, 1886
Scaphander lignarius (Linné, 1758)
Scaphander nobilis Verrill, 1884
Scaphander punctostriatus (Mighels & Adams, 1842)
Meloscaphander imperceptus Bouchet, 1975
Mamillocylichna abyssicola Bouchet, 1975
Mamillocylichna richardi (Dautzenberg, 1889)
Utriculopsis vitrea Sars M., 1870

Famille des Gasteropteridae

Gasteropteron meckeli Kosse, 1813

Famille des Philinoglossidae

Philinoglossa helgolandica Hertling, 1932
Philinoglossa latosoleata Salvini-Plawen, 1973
Philinoglossa praelongata Salvini-Plawen, 1973
Philinoglossa remanei Marcus Ev. & Er., 1958

Ordre des acochlioidés

Famille des Microhedylidae

Microhedyle glandulifera (Kowalewsky, 1901)
Microhedyle glomerans Salvini-Plawen, 1973
Microhedyle lactea Hertling, 1930
Microhedyle neapolitana (Rankin, 1979)
Microhedyle odhneri (Marcus Ev. & Er., 1955)
Pontohedyle milatschevitchi (Kowalewsky, 1901)
Parahedyle cryptophtalma (Westheide & Wawra, 1974)
Parahedyle tyrtowii (Kowalewsky, 1901)

Famille des Platyhedylidae

Platyhedyle denudata Salvini-Plawen, 1973

Famille des Asperspinidae

Asperspina brambelli (Swedmark, 1968)
Asperspina rhopalotecta (Salvini-Plawen, 1973)
Antennella loricata (Swedmark, 1968)

Famille des Hedylopsidae

Hedylopsis brambelli Swedmark, 1968
Hedylopsis spiculifera (Kowalewsky, 1901)
Hedylopsis suecica Odhner, 1937

Famille des Minicheviellidae

Minicheviella murmanica (Kuchinskaja & Minichev, 1978)

Famille des Rhodopidae

Rhodope crucispiculata Salvini-Plawen, 1988
Rhodope veranyi Koelliker, 1847

Ordre des thécosomes

Famille des Cavoliniidae

Cavolinia gibbosa (d'Orbigny, 1835)
Cavolinia inflexa (Lesueur, 1813)
Cavolinia tridentata (Forskål, 1775)
Cavolinia uncinata (Rang, 1829)
Diacavolinia constricta (van der Spoel, Bleeker & Kobayashi, 1993)
Diacavolinia deshayesi (van der Spoel, Bleeker & Kobayashi, 1993)
Diacavolinia limbata (d'Orbigny, 1836)
Diacavolinia atlantica van der Spoel, Bleeker & Kobayashi, 1993
Diacria atlantica (Dupont in Bontes & van der Spoel, 1998)
Diacria quadridentata (Lesueur, 1821)
Diacria rampali (Dupont, 1979)
Diacria rubecula (Bontes & van der Spoel, 1998)
Diacria trispinosa (Lesueur, 1821)
Clio cuspidata (Bosc, 1802)
Clio pyramidata Linné, 1767
Creseis acicula Rang, 1828
Creseis virgula Rang, 1828
Hyalocylis obtusa Di Geronimo, 1974
Hyalocylis striata (Rang, 1828)
Styliola subula (Quoy & Gaimard, 1827)
Cuvierina columnella (Rang, 1827)

Famille des Limacinidae

Limacina bulimoides (d'Orbigny, 1836)
Limacina helicina Phipps, 1774
Limacina helicoides Jeffreys, 1877
Limacina inflata (d'Orbigny, 1836)
Limacina lesueurii (d'Orbigny, 1836)
Limacina retroversa (Fleming, 1823)
Limacina trochiformis (d'Orbigny, 1836)

Famille des Cymbuliidae

Cymbulia parvidentata Pelseneer, 1888
Cymbulia peronii Lamarck, 1819
Gleba chrysosticta (Troschel, 1854)
Gleba cordata Forskål, 1776
Corolla spectabilis Dall, 1871

Famille des Desmopteridae

Desmopterus cirropterus Gegenbaur, 1855
Desmopterus papilio Chun, 1889

Famille des Peraclidae

Peraclis bispinosa Pelseneer, 1888
Peraclis diversa (Monterosato, 1875)
Peraclis reticulata (d'Orbigny, 1836)
Peraclis triacantha (Fischer P., 1882)

Ordre des gymnosomes

Famille des Clionidae

Clione limacina (Phipps, 1774)
Fowlerina punctata (Tesch, 1903)
Fowlerina zetesios Pelseneer, 1906
Paraclione flavescens (Gegenbaur, 1855)
Paraclione longicaudata (Souleyet, 1852)
Thalassopterus zancleus Kwietniewski, 1910
Thliptodon gegenbauri Boas, 1886

Famille des Cliopsidae

Cliopsis krohni Troschel, 1854

Famille des Notobranchaeidae

Notobranchaea bleekerae van der Spoel & Pafort, 1985
Notobranchaea macdonaldi Pelseneer, 1886
Schleschia tetrabranchiata (Bonnievie, 1913)

Famille des Pneumodermatidae

Pneumoderma mediterraneum van Beneden, 1838
Pneumoderma violaceum d'Orbigny, 1836
Pneumodermopsis canephora Pruvot-Fol, 1924
Pneumodermopsis ciliata (Gegenbaur, 1855)
Pneumodermopsis paucidens (Boas, 1886)
Pneumodermopsis pupula Pruvot-Fol, 1926
Pneumodermopsis teschi van der Spoel, 1973

Ordre des sacoglosses

Famille des Oxynoeidae

Oxynoe olivacea Rafinesque, 1814
Lobiger serradifalci (Calcara, 1840)

Famille des Volvatellidae

Ascobulla fragilis (Jeffreys, 1856)

Famille des Elysiidae

Elysia flava Verrill, 1901
Elysia gordanae Thompson & Jaklin, 1988

Elysia hetta Perrone, 1990
Elysia ornata (Swainson, 1840)
Elysia picta Verrill, 1901
Elysia timida (Risso, 1818)
Elysia translucens Pruvot-Fol, 1957
Elysia viridis (Montagu, 1804)
Thuridilla hopei (Vérany, 1853)

Famille des Boselliidae

Bosellia levis Fernandez-Ovies & Ortea, 1986
Bosellia mimetica Trinchese, 1891

Famille des Hermaeidae

Polybranchia borgnini (Trinchese, 1896)
Polybranchia viridis (Deshayes, 1857)
Aplysiopsis elegans Deshayes, 1864
Aplysiopsis formosa Pruvot-Fol, 1953
Cyerce cristallina (Trinchese, 1881)
Cyerce graeca Thompson T., 1988
Hermaea bifida (Montagu, 1815)
Hermaea boucheti (Cervera, Garcia-Gomez & Ortea, 1991)
Hermaea paucicirra Pruvot-Fol, 1953
Hermaea variopicta (Costa A., 1869)
Caliphylla mediterranea Costa A., 1869

Famille des Costasiellidae

Costasiella virescens Pruvot-Fol, 1951

Famille des Stiligeridae

Alderella comosa (Costa A., 1867)
Aleria modesta (Lovén, 1844)
Calliopaea bellula d'Orbigny, 1837
Calliopaea oophaga Lemche in Gascoigne & Sartory, 1974
Calliopaea rissoana Milne-Edwards, 1842
Calliopaea souleyeti Vérany, 1846
Ercolania coerulea Trinchese, 1892
Ercolania funerea (Costa A., 1867)
Ercolania lozanoi Ortea, 1981
Ercolania viridis (Costa A., 1866)
Placida cremoniana (Trinchese, 1892)
Placida dendritica (Alder & Hancock, 1843)
Placida saronica (Thompson T., 1988)
Placida tardyi (Trinchese, 1873)
Placida verticillata Ortea, 1981
Placida viridis (Trinchese, 1873)
Stiliger llerai Ortea, 1981
Stiliger niger Lemche, 1935

Famille des Limapontiidae

Limapontia capitata (Müller O.F., 1774)
Limapontia depressa Alder & Hancock, 1862

Limapontia senestra (de Quatrefages, 1844)

Ordre des notaspidés (pleurobranchomorphes)

Famille des Umbraculidae

Umbraculum umbraculum (Röding, 1798)
Spiricella unguicula Rang, 1828

Famille des Tylodiniidae

Anidolyta duebeni (Lovén, 1846)
Tylodina perversa (Gmelin, 1791)

Famille des Pleurobranchidae

Pleurobranchus forskalii (Rüppell & Leuckart, 1831)
Pleurobranchus membranaceus (Montagu, 1815)
Pleurobranchus testudinarius Cantraine, 1835
Berthella aurantiaca (Risso, 1818)
Berthella dautzenbergi (Watson, 1897)
Berthella elongata (Cantraine, 1835)
Berthella lowei (Watson, 1897)
Berthella ocellata (delle Chiaje, 1830)
Berthella plumula (Montagu, 1803)
Berthella sideralis Lovén, 1846
Berthella stellata (Risso, 1826)
Berthellina citrina (Rüppell & Leuckart, 1831)
Berthellina engeli Gardiner, 1936
Pleurobranchaea inconspicua Bergh, 1897
Pleurobranchaea meckelii Meckel in Leue, 1813

Ordre des anaspidés (aplysiomorphes)

Famille des Akeridae

Akera bullata Müller O.F., 1776

Famille des Aplysiidae

Aplysia dactylomela Rang, 1828
Aplysia depilans Gmelin, 1791
Aplysia fasciata Poiret, 1789
Aplysia juliana Quoy & Gaimard, 1832
Aplysia parvula Guilding in Mørch, 1863
Aplysia punctata (Cuvier, 1803)
Bursatella leachii de Blainville, 1817

Famille des Dolabriferidae

Dolabrifera holboelli Bergh, 1872
Notarchus indicus Schweigger, 1820
Notarchus punctatus Philippi, 1836
Petalifera gravieri (Vayssièrè, 1906)

Petalifera petalifera (Rang, 1828)
Phyllaplysia depressa (Cantraine, 1835)
Phyllaplysia lafonti (Fischer P., 1870)

Ordre des nudibranches

Sous-ordre des Doridacés (doridiens)

Famille des Bathydorididae

Bathydoris ingolfiana Bergh, 1899

Famille des Aegiretidae

Aegires leuckarti Vérany, 1853
Aegires palensis Ortea, Luque & Templado, 1990
Aegires punctilucens (d'Orbigny, 1837)
Aegires sublaevis Odhner, 1932
Triopella incisa (Sars G.O., 1872)

Famille des Corambidae

Corambe obscura (Verrill, 1870)
Corambe testudinaria Fischer P., 1889
Echinocorambe brattgardii (Valdés & Bouchet, 1998)

Famille des Goniodorididae

Goniodoris barroisi Vayssière, 1901
Goniodoris castanea Alder & Hancock, 1845
Goniodoris nodosa (Montagu, 1808)
Lophodoris danielsseni (Friele & Hansen, 1876)
Okenia aspersa (Alder & Hancock, 1845)
Okenia elegans (Leuckart, 1828)
Okenia hispanica (Valdés & Ortea, 1995)
Okenia cupella (Vogel & Schultz, 1970)
Okenia leachii (Alder & Hancock, 1854)
Okenia mediterranea (Von Ihering, 1886)
Ancula gibbosa (Risso, 1818)
Trapania fusca (Lafont, 1874)
Trapania hispalensis Cervera & Garcia-Gomez, 1989
Trapania lineata Haefelfinger, 1960
Trapania maculata Haefelfinger, 1960
Trapania ortei Garcia-Gomez & Cervera in Cervera & Garcia-Gomez, 1989
Trapania pallida Kress, 1968
Trapania tartanella (Von Ihering, 1886)
Bermudella polycerelloides Ortea & Bouchet, 1983

Famille des Onchidorididae

Onchidoris albonigra (Pruvot-Fol, 1951)
Onchidoris aspera (Alder & Hancock, 1842)
Onchidoris bouvieri (Vayssière, 1919)
Onchidoris cervinoi Ortea & Urgorri, 1979

Onchidoris depressa (Alder & Hancock, 1842)
Onchidoris fusca (Müller O.F., 1776)
Onchidoris inconspicua (Alder & Hancock, 1851)
Onchidoris muricata (Müller O.F., 1776)
Onchidoris neapolitana (delle Chiaje, 1841)
Onchidoris oblonga (Alder & Hancock, 1845)
Onchidoris pusilla (Alder & Hancock, 1845)
Onchidoris reticulata Ortea, 1979
Onchidoris sparsa (Alder & Hancock, 1846)
Onchidoris tridactyla Ortea & Ballesteros, 1982
Acanthodoris pilosa (Abildgaard in Müller, 1789)
Adalaria loveni Alder & Hancock, 1862
Adalaria proxima (Alder & Hancock, 1854)
Diaphorodoris luteocincta (Sars M., 1870)
Diaphorodoris papillata Portmann & Sandmeier, 1960
Doridunculus echinulatus Sars G.O., 1878

Famille des Triophidae

Crimora papillata Alder & Hancock, 1862
Kaloplocamus aureus (Odhner, 1932)
Kaloplocamus filus Cattaneo-Vietti & Sordi, 1988
Kaloplocamus ramosus (Cantraine, 1835)
Plocamopherus maderae (Lowe, 1842)
Plocamopherus ocellatus (Rüppell & Leuckart, 1831)

Famille des Dorididae

Doris alboranica Bouchet, 1977
Doris bertheloti (d'Orbigny, 1839)
Doris bicolor (Bergh, 1884)
Doris marmorata Risso, 1818
Doris nobilis Odhner, 1907
Doris ocelligera (Bergh, 1881)
Doris pseudoverrucosa (Von Ihering, 1886)
Doris sticta (Iredale & O'Donoghue, 1923)
Doris verrucosa Linné, 1758
Thorybopus lophatus Bouchet, 1977

Famille des Aldisidae

Aldisa banyulensis Pruvot-Fol, 1951
Aldisa barlettai Ortea & Ballesteros, 1989
Aldisa berghi Vayssière, 1901
Aldisa binotata Pruvot-Fol, 1953
Aldisa zetlandica (Alder & Hancock, 1854)

Famille des Archidorididae

Archidoris pseudoargus (Rapp, 1827)
Anisodoris marmorata (Bergh, 1881)
Atagama gibba Pruvot-Fol, 1951
Atagama rugosa Pruvot-Fol, 1951
Sclerodoris minor Eliot, 1903

Famille des Chromodorididae

Chromodoris britoi Ortea & Perez, 1983
Chromodoris elegantula (Philippi, 1844)
Chromodoris goslineri Ortea & Valdés in Ortea, Valdés & Garcia Gómez, 1996
Chromodoris krohni (Vérany, 1846)
Chromodoris luteopunctata (Gantès, 1962)
Chromodoris luteorosea (Rapp, 1827)
Chromodoris purpurea (Risso in Guérin, 1831)
Chromodoris quadricolor (Rüppell & Leuckart, 1831)
Chromodoris rodomaculata Ortea & Valdés, 1991
Cadlina excavata (Pruvot-Fol, 1951)
Cadlina glabra (Friele & Hansen, 1876)
Cadlina laevis (Linné, 1767)
Cadlina pellucida (Risso, 1826)
Glossodoris edmundsi Cervera, Garcia-Gomez & Ortea, 1989
Glossodoris limbata Vicente, 1967
Hypselodoris bilineata (Pruvot-Fol, 1953)
Hypselodoris cantabrica Bouchet & Ortea, 1980
Hypselodoris orsinii (Vérany, 1846)
Hypselodoris fontandraui (Pruvot-Fol, 1951)
Hypselodoris gasconi Ortea, Valdés & Garcia Gómez, 1996
Hypselodoris infucata (Rüppell & Leuckart, 1831)
Hypselodoris malacitana Luque, 1986
Hypselodoris tricolor (Cantraine, 1835)
Hypselodoris villafranca (Risso, 1818)
Hypselodoris picta (Schultz in Philippi, 1836)

Famille des Discodorididae

Discodoris atromaculata (Bergh, 1880)
Discodoris concinna (Alder & Hancock, 1864)
Discodoris confusa Ballesteros, Llera & Ortea, 1985
Discodoris edwardsi Vayssière, 1902
Discodoris erubescens Bergh, 1884
Discodoris fragilis (Alder & Hancock, 1864)
Discodoris maculosa Bergh, 1884
Discodoris millegrana (Alder & Hancock, 1854)
Discodoris patriziae Perrone, 1991
Discodoris porri (Vérany, 1846)
Discodoris punctifera (Abraham, 1877)
Discodoris rosi Ortea, 1979
Discodoris rubens Vayssière, 1919
Discodoris sordii (Perrone, 1990)
Discodoris stellifera (Ihering in Vayssière, 1904)
Geitodoris bacalladoi Ortea, 1990
Geitodoris bonosi Ortea & Ballesteros, 1981
Geitodoris joubini (Vayssière, 1919)
Geitodoris perfossa Ortea, 1990
Geitodoris planata (Alder & Hancock, 1846)
Geitodoris portmanni (Schmekel, 1972)
Geitodoris pusae (Marcus Er., 1955)
Geitodoris rubens (Vayssière, 1919)
Paradoris ceneris Ortea, 1995
Paradoris granulata Bergh, 1884
Paradoris indecora (Bergh, 1881)
Paradoris inversa Ortea, 1995
Paradoris mollis Ortea, 1995

Thordisa aurea Pruvot-Fol, 1951
Thordisa azmani Cervera & García-Gomez, 1989
Thordisa filix Pruvot-Fol, 1951
Thordisa pallida Bergh, 1884

Famille des Kentrodorididae

Jorunna atypha Bergh, 1881
Jorunna onubensis Cervera, Garcia-Gomez & Garcia, 1986
Jorunna tomentosa (Cuvier, 1804)

Famille des Platydorididae

Platydorid argo (Linné, 1767)
Platydorid dura Pruvot-Fol, 1951
Platydorid maculata Bouchet, 1977
Platydorid philippi Bergh, 1877
Platydorid stomascuta Bouchet, 1977
Baptodorid cinnabarina Bergh, 1884
Baptodorid perezii Llera & Ortea in Ortea, Perez & Llera, 1982
Carminodorid boucheti Ortea, 1979
Carminodorid spinobranchialis Ortea & Martínez, 1992
Taringa armata Swennen, 1961
Taringa ascitica Ortea, Perez & Llera, 1982
Taringa bacalladoi Ortea, Perez & Llera, 1982
Taringa faba Ballesteros, Llera & Ortea, 1985
Taringa fanabensis Ortea & Martínez, 1992
Taringa oleica Ortea, Perez & Llera, 1982
Taringa pinoi Perrone, 1985
Taringa tarifaensis Garcia-Gomez, Cervera & Garcia-Martin, 1993
Taringa tritorquis Ortea, Perez & Llera, 1982

Famille des Rostangidae

Rostanga anthelia Perrone, 1991
Rostanga rubra (Risso, 1818)

Famille des Polyceridae

Polycera aurantiomarginata Garcia-Gomez & Bobo, 1984
Polycera dubia Sars M., 1829
Polycera elegans (Bergh, 1894)
Polycera faeroensis Lemche, 1929
Polycera hedgpethi (Marcus Er., 1964)
Polycera maculata Pruvot-Fol, 1951
Polycera nothus (Johnston, 1838)
Polycera quadrilineata (Müller O.F., 1776)
Colga pacifica (Bergh, 1894)
Limacia clavigera (Müller O.F., 1776)
Polycerella emertoni Verrill, 1881
Thecacera pennigera (Montagu, 1815)
Thecacera virescens Forbes & Hanley, 1851

Famille des Gymnodorididae

Roboastra europea Garcia-Gomez, 1985
Tambja ceutae Garcia-Gomez & Ortea, 1988
Tambja marbellensis (Schick & Cervera, 1998)

Sous-ordre des Dendronotacés

Famille des Dendrodorididae

Dendrodoris grandiflora (Rapp, 1827)
Dendrodoris herytra Valdés & Ortea in Valdés, Ortea, Avila & Ballesteros, 1996
Dendrodoris limbata (Cuvier, 1804)
Dendrodoris nigra (Stimpson, 1855)
Doriopsilla areolata Bergh, 1880
Doriopsilla pelseneeri d'Oliveira, 1895

Famille des Phyllidiidae

Phyllidia flava Aradas, 1847
Phyllidiopsis berghi Vayssière, 1902
Fryeria bayi Bouchet, 1983

Famille des Dendronotidae

Dendronotus comteti (Valdés & Bouchet, 1998)
Dendronotus frondosus (Ascanius, 1774)
Dendronotus lacteus (Thompson W., 1840)
Dendronotus robustus Verrill, 1880

Famille des Dotidae

Doto acuta Schmekel & Kress, 1977
Doto affinis (d'Orbigny, 1835)
Doto arteoi Ortea, 1978
Doto cervicenigra Ortea & Bouchet, 1989
Doto cindyneutes Bouchet, 1977
Doto confluens Hesse, 1872
Doto coronata (Gmelin, 1791)
Doto crassicornis Sars M., 1870
Doto cuspidata Alder & Hancock, 1862
Doto dunnei Lemche, 1976
Doto eireana Lemche, 1976
Doto escatlari (Ortea, Moro & Espinosa, 1998)
Doto floridicola Simroth, 1888
Doto fluctifraga Ortea & Perez, 1982
Doto fragaria Ortea & Bouchet, 1989
Doto fragilis (Forbes, 1838)
Doto furva Garcia J.C. & Ortea, 1984
Doto hydrallmaniae (Morrow, Thorpe & Picton, 1992)
Doto hystrix Picton & Brown, 1981
Doto koeneckeri Lemche, 1976
Doto lemchei Ortea & Urgorri, 1978
Doto leopardina Vicente, 1967
Doto millbayana Lemche, 1976
Doto oblicua Ortea & Urgorri, 1978
Doto paulinae Trinchese, 1881

Doto pinnatifida (Montagu, 1804)
Doto pontica Swennen, 1961
Doto pygmaea (Bergh, 1871)
Doto rosea Trinchese, 1881
Doto sotilloi (Ortea, Moro & Espinosa, 1998)
Doto tuberculata Lemche, 1976
Doto unguis Ortea & Rodriguez, 1989
Doto verdicioi Ortea & Urgorri, 1978

Famille des Hancockiidae

Hancockia uncinata (Hesse, 1872)

Famille des Lomanotidae

Lomanotus barlettai Garcia-Gomez, Lopez-Gonzalez & Garcia, 1990
Lomanotus genei Vérany, 1846
Lomanotus marmoratus (Alder & Hancock, 1845)

Famille des Phylliroidae

Phylliroe atlantica Bergh, 1871
Phylliroe bucephala Péron & Lesueur, 1810
Cephalopyge trematoides (Chun, 1889)

Famille des Scyllaeidae

Scyllaea pelagica Linné, 1758

Famille des Tethydidae

Tethys fimbria Linné, 1767
Melibe fimbriata Alder & Hancock, 1864

Famille des Tritoniidae

Tritonia episcopalis Bouchet, 1977
Tritonia griegi Odhner, 1922
Tritonia hombergi Cuvier, 1803
Tritonia ingolfiana (Bergh, 1899)
Tritonia lineata Alder & Hancock, 1848
Tritonia manicata Deshayes, 1853
Tritonia nilsodhneri Marcus Ev., 1983
Tritonia plebeia Johnston, 1828
Tritonia striata Haefelfinger, 1963
Marionia blainvillea (Risso, 1818)
Tritoniopsis cincta (Pruvot-Fol, 1937)

Sous-ordre des Arminacés

Famille des Arminidae

Armina loveni (Bergh, 1860)

Armina maculata Rafinesque, 1814
Armina neapolitana (delle Chiaje, 1824)
Armina tigrina Rafinesque, 1814
Armina tricuspидata Thompson, Cattaneo & Wong, 1990
Linguella elfortiana de Blainville, 1823
Linguella quadrilateralis (Bergh, 1860)

Famille des Heterodorididae

Heterodoris ingolfiana (Bergh, 1899)
Heterodoris robusta Verrill & Emerton, 1882

Famille des Heroidae

Hero blanchardi Vayssière, 1888
Hero formosa (Lovén, 1844)

Famille des Goniaeolididae

Goniaeolis typica Sars M., 1861

Famille des Madrellidae

Madrella aurantiaca Vayssière, 1902
Eliotia souleyeti Vayssière, 1909

Famille des Proctonotidae

Janolus cristatus (delle Chiaje, 1841)
Janolus faustoi Ortea & Llera, 1988
Janolus hyalinus (Alder & Hancock, 1854)
Proctonotus mucroniferus (Alder & Hancock, 1844)

Sous-ordre des Aeolidacés (éolidiens)

Famille des Aeolidiidae

Aeolidia papillosa (Linné, 1761)
Aeolidiella alderi (Cocks, 1852)
Aeolidiella glauca (Alder & Hancock, 1845)
Aeolidiella indica Bergh, 1888
Aeolidiella rubra (Cantraine, 1835)
Aeolidiella sanguinea (Norman, 1877)
Baeolidia cryoporos Bouchet, 1977
Baeolidia nodosa (Haefelfinger & Stamm, 1958)
Berghia columbina (Garcia-Gomez & Thompson, 1990)
Berghia norvegica Odhner, 1939
Spurilla caerulescens Laurillard, 1830
Spurilla neapolitana (delle Chiaje, 1841)
Spurilla vayssierei Garcia J.C. & Cervera, 1985
Spurilla verrucicornis (Costa A., 1867)
Cerberilla bernadettae Tardy, 1965
Phidiana indica (Bergh, 1896)

Famille des Calmidae

Calma glaucoides (Alder & Hancock, 1854)

Famille des Cumanotidae

Cumanotus beaumonti (Eliot, 1906)
Cumanotus cuenoti (Pruvot-Fol, 1948)

Famille des Eubranthidae

Eubranthia arci Ortea, 1981
Eubranthia cingulatus (Alder & Hancock, 1847)
Eubranthia doriae (Trinchese, 1874)
Eubranthia exiguus (Alder & Hancock, 1848)
Eubranthia farrani (Alder & Hancock, 1844)
Eubranthia linensis Garcia-Gomez, Cervera & Garcia, 1990
Eubranthia pallidus (Alder & Hancock, 1842)
Eubranthia prietoi Llera & Ortea, 1981
Eubranthia rupium (Møller, 1842)
Eubranthia tricolor Forbes, 1838
Eubranthia vittatus (Alder & Hancock, 1842)

Famille des Facelinidae

Facelina annulicornis (Chamisso & Eysenhardt, 1821)
Facelina bostoniensis (Couthouy, 1838)
Facelina coronata (Forbes & Goodsir, 1839)
Facelina dubia (Pruvot-Fol, 1948)
Facelina fusca Schmekel, 1966
Facelina lugubris (Bergh, 1882)
Facelina quatrefagesi Vayssière, 1888
Facelina rubrovittata (Costa A., 1866)
Facelina rutila Pruvot-Fol, 1951
Facelina variegata d'Oliveira, 1895
Facelina vicina (Bergh, 1882)
Algarvia alba Garcia-Gomez & Cervera, 1989
Antonietta luteorufa Schmekel, 1966
Caloria elegans (Alder & Hancock, 1845)
Facelinopsis marioni (Vayssière, 1888)
Pruvotfolia pselliotes (Labbé, 1923)
Rolandia hispanica Pruvot-Fol, 1951

Famille des Favorinidae

Favorinus brianus Lemche & Thompson, 1974
Favorinus branchialis (Rathke, 1806)
Favorinus vitreus Ortea, 1982
Dicata odhneri Schmekel, 1967
Dondice banyulensis Portmann & Sandmeier, 1960

Famille des Fionidae

Fiona pinnata (Eschscholtz, 1831)

Famille des Flabellinidae

Flabellina affinis (Gmelin, 1791)
Flabellina babai Schmekel, 1972
Flabellina baetica Garcia-Gomez, 1984
Flabellina insolita Garcia-Gomez & Cervera, 1989
Flabellina ischitana Hirano & Thompson, 1990
Flabellina pedata (Montagu, 1815)
Flabellina pellucida (Alder & Hancock, 1843)
Flabellina rubrolineata (O'Donoghue, 1929)
Calmella cavolini (Vérany, 1846)
Coryphella borealis Odhner, 1922
Coryphella browni Picton, 1980
Coryphella gracilis (Alder & Hancock, 1844)
Coryphella lineata (Lovén, 1846)
Coryphella nobilis Verrill, 1880
Coryphella parva Hadfield, 1963
Coryphella salmonacea (Couthouy, 1838)
Coryphella sarsi Friele, 1902
Coryphella verrucosa (Sars M., 1829)
Rioselleolis anadoni Ortea, 1979
Paracoryphella islandica (Odhner, 1937)

Famille des Glaucidae

Glaucus atlanticus Forster, 1777

Famille des Piseinotecidae

Piseinotecus gabinieri (Vicente, 1975)
Piseinotecus gaditanus Cervera, Garcia-Gomez & Garcia, 1987
Piseinotecus sphaeriferus (Schmekel, 1965)

Famille des Pseudovermidae

Pseudovermis artabrensis Urgorri, Cobo & Besteiro, 1991
Pseudovermis axi Marcus Ev. & Er., 1955
Pseudovermis boadeni Salvini-Plawen & Sterrer, 1968
Pseudovermis kowalewskyi Salvini-Plawen & Sterrer, 1968
Pseudovermis papillifer Kowalewsky, 1901
Pseudovermis paradoxus Periaslavzev, 1891
Pseudovermis schultzi Marcus Ev. & Er., 1955
Pseudovermis setensis Fize, 1961
Pseudovermis thompsoni Salvini-Plawen, 1991

Famille des Tergipedidae

Tergipes edwardsii Nordmann, 1844
Tergipes tergipes (Forskål, 1775)
Catriona gymnota (Couthouy, 1838)
Catriona maua Marcus Ev. & Er., 1960
Cuthona abyssicola (Bergh, 1884)
Cuthona albopunctata (Schmekel, 1968)
Cuthona amoena (Alder & Hancock, 1845)
Cuthona berghi (Friele, 1902)

Cuthona caerulea (Montagu, 1804)
Cuthona concinna (Alder & Hancock, 1843)
Cuthona distans Odhner, 1922
Cuthona ferruginea (Friele, 1902)
Cuthona foliata (Forbes & Goodsir, 1839)
Cuthona genovae (O'Donoghue, 1929)
Cuthona granosa (Schmekel, 1966)
Cuthona ilonae (Schmekel, 1968)
Cuthona leopardina (Vayssièrè, 1888)
Cuthona miniostrata (Schmekel, 1968)
Cuthona nana (Alder & Hancock, 1842)
Cuthona norvegica (Odhner, 1929)
Cuthona ocellata (Schmekel, 1966)
Cuthona perca (Marcus Er., 1958)
Cuthona peregrina (Gmelin, 1791)
Cuthona pustulata (Alder & Hancock, 1854)
Cuthona rubescens Picton & Brown, 1978
Cuthona suecica (Odhner, 1940)
Cuthona thompsoni Garcia, Lopez-Gonzalez & Garcia-Gomez, 1991
Cuthona viridis (Forbes, 1840)
Cuthona willani Cervera, Garcia-Gomez & Lopez-Gonzalez, 1992
Embletonia pulchra (Alder & Hancock, 1844)
Tenellia adpersa (Nordmann, 1845)